

**Table I**  
**Identification of Achievable Performance Standards**  
**Source Category: Restaurants, Chain-Driven Charbroilers**

| Regulated Component                                                       | Pollutant         | Rule/Measure/Date                                                                    |                                                                                                                                                                                  |  |  |  |  |  |  |
|---------------------------------------------------------------------------|-------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|
|                                                                           |                   | South Coast 1138, Control of Emissions from Restaurant Operations, adopted 11/14/97* |                                                                                                                                                                                  |  |  |  |  |  |  |
|                                                                           |                   | Performance Standard                                                                 |                                                                                                                                                                                  |  |  |  |  |  |  |
| Install control device equal to or more effective than catalytic oxidizer | VOC               | x                                                                                    | Greater than or equal to 83% reduction in VOC (Rule 1138 and Protocol-Determination of Particulate and Volatile Organic Compound Emissions from Restaurant Operations, 11/14/97) |  |  |  |  |  |  |
| Install control device equal to or more effective than catalytic oxidizer | PM <sub>2.5</sub> | x                                                                                    | Greater than or equal to 83% reduction in PM (Rule 1138 and Protocol-Determination of Particulate and Volatile Organic Compound Emissions from Restaurant Operations, 11/14/97)  |  |  |  |  |  |  |

**Table I**  
**Identification of Achievable Performance Standards**  
**Source Category: Restaurants, Chain-Driven Charbroilers**

| Regulated Component                                                | Pollutant | Rule/Measure/Date                                                                    |                                                                                                                                                                                                                           |  |  |  |  |  |  |
|--------------------------------------------------------------------|-----------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|
|                                                                    |           | South Coast 1138, Control of Emissions from Restaurant Operations, adopted 11/14/97* |                                                                                                                                                                                                                           |  |  |  |  |  |  |
|                                                                    |           | Performance Standard                                                                 |                                                                                                                                                                                                                           |  |  |  |  |  |  |
| Existing chain-driven charbroiler                                  | VOC, PM   | x                                                                                    | Charbroiler/catalytic oxidizer tested and certified by the Executive Officer, or equipment that is equal to or more effective than catalytic oxidizer in reducing PM and VOC emissions and certified by Executive Officer |  |  |  |  |  |  |
| Existing chain-driven charbroiler with permitted control equipment | VOC, PM   | x                                                                                    | May maintain equipment for duration of its functional life, not to exceed 10 years from 11/14/97                                                                                                                          |  |  |  |  |  |  |
| New chain-driven charbroiler                                       | VOC, PM   | x                                                                                    | Charbroiler/catalytic oxidizer tested and certified by the Executive Officer, or equipment that is equal to or more effective than catalytic oxidizer in reducing PM and VOC emissions and certified by Executive Officer |  |  |  |  |  |  |
| Work practices                                                     | VOC, PM   | x                                                                                    | Maintain catalytic oxidizer in good                                                                                                                                                                                       |  |  |  |  |  |  |

Table I  
Identification of Achievable Performance Standards  
Source Category: Restaurants, Chain-Driven Charbroilers

| Regulated Component | Pollutant | Rule/Measure/Date                                                                              |  |  |  |  |  |  |  |  |  |
|---------------------|-----------|------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
|                     |           | South Coast 1138, Control of Emissions from Restaurant Operations, adopted 11/14/97*           |  |  |  |  |  |  |  |  |  |
|                     |           | Performance Standard                                                                           |  |  |  |  |  |  |  |  |  |
|                     |           | working order including operation, cleaning, and maintenance per manufacturer's specifications |  |  |  |  |  |  |  |  |  |

S:\DRAT\WEBDOCS\REST1.WP6